


1727 APR

APR | Small bore

Depending on the selected configuration, the technical specifications and illustration of your rifle will differ.



This ANSCHÜTZ category C sporting rifle (bolt-action rifle) (rimfire or center fire) has been manufactured for the intended use in target shooting. The use of this civil sporting rifle is exclusively subject to the intended use and the respectively valid laws. The model is to be used exclusively for sports use on the approved shooting ranges (for sports disciplines) and may only be used by persons with an appropriate gun license.

1727 APR

APR | Small bore

Total weight approx. **.5.610 g**
Total Length. **.1.005 - 1.050 mm**

Stock

Designation ANSCHÜTZ APR Chassis, aluminum fore-end
Material Aluminum
Length of stock 950 - 995 mm
Length of pull 330 - 375 mm
Weight of stock, approx. 2.030 g
Butt plate. Rubber butt plate

Barreled Action

Designation 1727APR
With barrel 22" (559 mm)
Length of barreled action 725 mm
Length of barrel 22" (559 mm)
Muzzle diameter 28 mm
Barrel thread. M18x1
Weight of barreled action, approx. 3.580 g
Mounting platform Picatinny rail, 30 MOA pre-tilt

Trigger

Designation 5022 APR
Type of trigger Two stage trigger
Trigger weight, factory set at 550 g
Adjustment of the trigger weight 450 - 1.600 g
Cant of the trigger blade - right/left 11 mm
Adjustment of the trigger blade - forward/backward 23 mm

DATA SHEET



EINFACH EINS WERDEN!

1727 APR

APR | Small bore

Caliber

.22 l.r.

Number of grooves8

Twist rate420 mm

Magazine

For Caliber .22 l.r.

Capacity10