



HM-ADAPTER-40A

Adapter

The HM-ADAPTER-40A adapter connects the thermal clip-on and the daylight scope. It supports M52 × 0.75 mm thread, used for HIKMICRO THUNDER Clip-On 2.0.


Specification

GENERAL	
DIMENSION	65 mm × 95 mm × 46.7 mm (2.56" × 3.74" × 1.84")
WEIGHT	81 g (0.18 lb)
MOUNTING DIAMETER	40 mm
THREAD	M52 × 0.75 mm
ACCESSORY	Hex Key, Ring

Available Model

HM-ADAPTER-40A

Dimension



Unit:mm[Inch]



HM-ADAPTER-42A

Adapter

The HM-ADAPTER-42A adapter connects the thermal clip-on and the daylight scope. It supports M52 × 0.75 mm thread, used for HIKMICRO THUNDER Clip-On 2.0.



Specification

GENERAL	
DIMENSION	66 mm × 95 mm × 46.7 mm (2.60" × 3.74" × 1.84")
WEIGHT	79.7 g (0.18 lb)
MOUNTING DIAMETER	42 mm
THREAD	M52 × 0.75 mm
ACCESSORY	Hex Key, Ring

Available Model

HM-ADAPTER-42A

Dimension



Unit:mm[Inch]



HM-ADAPTER-44A

Adapter

The HM-ADAPTER-44A adapter connects the thermal clip-on and the daylight scope. It supports M52 × 0.75 mm thread, used for HIKMICRO THUNDER Clip-On 2.0.



Specification

GENERAL	
DIMENSION	67 mm × 95 mm × 46.7 mm (2.64" × 3.74" × 1.84")
WEIGHT	80.4 g (0.18 lb)
MOUNTING DIAMETER	44 mm
THREAD	M52 × 0.75 mm
ACCESSORY	Hex Key, Ring

Available Model

HM-ADAPTER-44A

Dimension



Unit:mm[Inch]



HM-ADAPTER-50A

Adapter

The HM-ADAPTER-50A adapter connects the thermal clip-on and the daylight scope. It supports M52 × 0.75 mm thread, used for HIKMICRO THUNDER Clip-On 2.0.



Specification

GENERAL	
DIMENSION	71.4 mm × 95.61 mm × 46.7 mm (2.81" × 3.76" × 1.84")
WEIGHT	91 g (0.20 lb)
MOUNTING DIAMETER	50 mm
THREAD	M52 × 0.75 mm
ACCESSORY	Hex Key, Ring

Available Model

HM-ADAPTER-50A

Dimension



Unit:mm[Inch]



HM-ADAPTER-56A

Adapter

The HM-ADAPTER-56A adapter connects the thermal clip-on and the daylight scope. It supports M52 × 0.75 mm thread, used for HIKMICRO THUNDER Clip-On 2.0.


Specification

GENERAL	
DIMENSION	77.4 mm × 98.63 mm × 46.7 mm (3.05" × 3.88" × 1.84")
WEIGHT	96.9 g (0.21 lb)
MOUNTING DIAMETER	56 mm
THREAD	M52 × 0.75 mm
ACCESSORY	Hex Key, Ring

Available Model

HM-ADAPTER-56A

Dimension



Unit:mm[Inch]



HM-ADAPTER-58A

Adapter

The HM-ADAPTER-58A adapter connects the thermal clip-on and the daylight scope. It supports M52 × 0.75 mm thread, used for HIKMICRO THUNDER Clip-On 2.0.


Specification

GENERAL	
DIMENSION	78.5 mm × 99.43 mm × 46.7 mm (3.09" × 3.91" × 1.84")
WEIGHT	90.5 g (0.20 lb)
MOUNTING DIAMETER	58 mm
THREAD	M52 × 0.75 mm
ACCESSORY	Hex Key, Ring

Available Model

HM-ADAPTER-58A

Dimension



Unit:mm[Inch]



HM-ADAPTER-62A

Adapter

The HM-ADAPTER-62A adapter connects the thermal clip-on and the daylight scope. It supports M52 × 0.75 mm thread, used for HIKMICRO THUNDER Clip-On 2.0.


Specification

GENERAL	
DIMENSION	83.4 mm × 101.63 mm × 46.7 mm (3.28" × 4.00" × 1.84")
WEIGHT	103.3 g (0.23 lb)
MOUNTING DIAMETER	62 mm
THREAD	M52 × 0.75 mm
ACCESSORY	Hex Key, Ring

Available Model

HM-ADAPTER-62A

Dimension



Unit: mm [Inch]



HIKMICRO SIGHT



HIKMICRO Outdoor hikmicro_outdoor HIKMICRO Outdoor HIKMICRO info@hikmicrotech.com <http://hikmicrotech.com/en>

Room 313, Unit B, Building 2, 399 Danfeng Road, Xixing Subdistrict, Binjiang District, Hangzhou, Zhejiang
@hangzhou microimage software co.,Ltd .2020 | data subject to change without notice!