

HM-TR0F-7Y1/W1-A7E A7E



● Key Feature

- Up to 4K image quality for multiple choice frame rate
- Less than 163g with bracket
- Auto recoil-activation recording
- 2x-8x magnification for various scenarios

▪ Specification

Video	
Video Format	MP4
Video Resolution	4K @60fps, 2x 2.7k @120fps, 3x 1080p @ 120fps, 2x 1080p @120fps, 4x 720p @120fps, 6x 720p @120fps, 8x
Video Encoding Format	H265./H264.
System	
Storage	64GB. 3h 4K videos / 4h 1080p videos
Hotspot	Yes
Recoil-activation Recording	Yes
Max. Recoil	375g/1.7ms
Wake-Up Mode	Raise; Knock
Wi-Fi Download Speed	ios: 40Mb/s; Android: 45Mb/s
Processor	@1.3GHz Cortex A55
Pre-record	Clays: 2s + 1s; Small Game: 6s + 6s; Big Game: 15s + 20s; Targets: 2s + 1s
Recording Speed	1x; 0.6x; 0.3x; 0.2x
Power Supply	
Battery Type	Internal 18650
Battery Operating Time	300 Shots (up to 15h)
General	
Protection Level	IP67
Dimension	102.5mm*30mm (without mount)
Weight	131g (without mount)
Working Temperature	-20°C-40°C
Lens Specification	
Focal Length	7mm, F2.0
Field Of View (FOV)	46.6°x25.8° / 31.1°x25.8° / 23.3°x25.8° / 15.5°x25.8°

▪ Available Model

HM-TR0F-7Y1/W1-A7E



 Hikmicro Hunting.Global  HIKMICRO Outdoor  www.hikmicrotech.com  [hikmicro_hunting_global](https://www.instagram.com/hikmicro_hunting_global)  HIKMICRO  info@hikmicrotech.com

Room 313, Unit B, Building 2, 399 Danfeng Road, Xixing Subdistrict, Binjiang District, Hangzhou, Zhejiang
© Hangzhou Microimage Software Co., Ltd. All rights reserved. | Data subject to change without notice!