
Mounting Options



| Pistol Model | Accepts SR0 | Mount Recommended |
|--|--------------|--|
| Glock® MOS | ✓ | Requires Mount #AC32085 |
| Custom RMR Cut Glock® | √ | None needed |
| Smith & Wesson® M&P® C.O.R.E.™ | ✓ | None needed |
| $Springfield^{\circledR} \ 1XD(M)^{\circledR} \ OSP^{^{\intercal}\!$ | \checkmark | Requires Mount #AC32085 |
| Canik TP9SFX | \checkmark | None needed |
| Walter® Q5 Match and PPQ Q4 | ✓ | None needed |
| Custom Cut 1911 that accepts an RMR | √ | None needed |
| STI Models that take RMR | \checkmark | None needed |
| Beretta APX | ✓ | None needed |
| CZ P10 | √ | None needed |
| Standard 1911 | ✓ | Requires CA428 and some modification by a gunsmith |



It is not recommended to mount SRO on pistols if the front of the optic overhands the chamber/breach face as this may cause the pistol to malfunction.

Available Reticles










Best Use: Target Shooting,

Competition, and Hunting



Best Use: Quick Close Shooting

5.0 MOA Dot

OPTIONAL ACCESSORIES



RMR® / SRO Mounting Kit - Fits Glock® MOS and Springfield OSP Models



RMR® Pistol Mount for All Glock® Models (not including Glock MOS slides).



1911 RMR Mount w/ Integrated Night Sight Set



Picatinny Rail Mount Adapter for RMR - Low Profile



RMR Pistol Mount for Smith & Wesson M&P

Weaver Rail Mount Adapter for RMR - Colt Thumb Screw



Full Co-Witness Quick Release Mount 45° Offset Quick Release Mount Lower 1/3 Co-Witness Quick Release Mount



Low Quick Release Mount Low Weaver Quick Release Mount



RMR® Mount for 30mm Riflescope

Reticles not shown to scale. For a full view of reticles, and list of accessories please visit our website at Trijicon.com.



Trijicon.com/SRO

©2020 Trijicon, Inc. | Wixom, Michigan USA | Phone: 1-800-338-0563 | info@trijicon.com Specifications subject to change without notice. | PML4071 Rev(2-A) 1220







The Trijicon SRO® is specifically designed for pistol use. The wide field of view and clean, crisp dot makes it easy for users to find and track the dot in both target and competitive shooting applications, helping improve shooting accuracy and speed. Every SRO features both manual and automatic LED brightness modes and a 3-year battery life. These features make the SRO a great choice in any application.

CLEARLY SEE THE TARGET

- Large, clear lens give the user an unobstructed field of view.
- Parallax free

FINDING AND TRACKING THE DOT IS EASY

- The large circular field of view helps you find the dot and center it in the lens when shooting.
- **EASILY MOUNTS TO POPULAR RED-DOT-READY PISTOLS**
 - The SRO shares the same foot print as the Trijicon RMR®.
 - Also compatible with most RMR mounts.
 - Does not require a sealing plate.

The Science of Brilliant®

At Trijicon, we are bound by a commitment to industry-leading research, design, and testing to seek innovative aiming solutions that constantly redefine "brilliant." That's why Trijicon products are subjected to the below testing methods.












Immersion Tested | Solid Zero Tested Alaska-to-Africa Tested Vibration Tested | Drop Tested

Visit Trijicon.com/Science to learn more.

Features and Benefits

- A Easily Adjustable Windage & Elevation Tool-less design makes zeroing hassle-free.
- B Top-Loading Battery Battery changes are easy, with no need to unmount the optic; Uses common CR2032 battery.
- C Rugged, Durable Construction 7075-T6 forged aluminum housing; waterproof up to 10 ft. (3m).
- Large, Unobstructive Field of View Find the red dot with ease; parallax free.

- Clear, Crisp Red Dot Finely tuned illuminated reticle, coupled with an exceptionally clear front lens, offer clear sight picture.
- Intuitive, Easy-to-Adjust Illumination Controls 8 brightness settings, including 1 super bright mode and 2 night vision modes.
- Identical Footprint as RMR® Mounts easily on popular red-dot-ready pistols using the same base as Trijicon RMR®.





8 Brightness Settings Including 1 Super Bright Mode and 2 **Night Vision Modes**



Button "Lock-out" Mode: Secures the Auto-Brightness Setting Feature

• Ideal for everyday carry or hunting



NEW Button "Lock-in" Mode: Secures the User-Chosen **Brightness Setting Indefinitely**

 Ideal for competition and target shooting

SRO® / RMR® Comparison

FITS MANY POPULAR RED-DOT-READY PISTOLS



| | SRO™ | RMR® (Adjustable LED) |
|---|---|---|
| Magnification | 1x | 1x |
| Sight Window | .98 x .89 in. 25 x 22.5mm | .87 x .63 in. 22 x 16mm |
| Lens | Tempered Glass | Tempered Glass |
| Adjustments | 1 click = 1 MOA | 1 click = 1 MOA |
| Adjustment Range (Elevation & Windage) | 150 MOA Total Travel | 150 MOA Total Travel |
| Dimensions (L x W x H) | 2.2 x 1.3 x 1.4 in. 55 x 32 x 34mm | 1.8 x 1.2 x 1.0 in. 46 x 30 x 25mm |
| Weight | 1.6 oz. (w/ battery) 46g | 1.2 oz. (w/ battery) 34g |
| Illumination Source | LED Powered by CR2032 Battery | LED Powered by CR2032 Battery |
| Battery Life* | Over 3 years of continuous use (when used at 70°F (21°C)) at setting 4 of 8 | Over 4 years of continuous use (when used at 70°F (21°C)) at setting 4 of 8 |
| Brightness Settings | Automatic & 8 Adjustable Settings | Automatic & 8 Adjustable Settings |
| | | |

^{*}Extreme temperatures (high or low) will affect lithium battery performance.









Mounts Easily Using the Same Base as the Trijicon RMR®



RMR