

V-MAX 40 gr



Bullet type	Bullet weight	Ballistic coefficient	Product number
Hornady V-Max	2.6 g / 40 gr	0.2	20157382

Velocity			
V ₀	V ₁₀₀	V ₂₀₀	V ₃₀₀
1140 (m/s) / 3740 (f/s)	960 (m/s) / 3196 (f/s)	802 (m/s) / 2715 (f/s)	661 (m/s) / 2281 (f/s)

Energy			
E ₀	E ₁₀₀	E ₂₀₀	E ₃₀₀
1690 (J) / 1243 (ft.-lb.)	1198 (J) / 908 (ft.-lb.)	836 (J) / 655 (ft.-lb.)	567 (J) / 462 (ft.-lb.)

Zero range, meters	Height of trajectory above line of sight if sighted in at X meter. For sights 40mm above bore					
	50	80	100	150	200	300 m
80	-8	å	1	-17	-66	-288
100	-9	-1	å	-18	-68	-290
150	-3	9	12	å	-44	-254
200	8	27	34	33	å	-189

Sighting distance in yards	Height of trajectory above line of sight if sighted in at X yards. For sights 1,6 inch above bore				
	50	100	150	200	300 yds
50	å	0.9	0.9	-0.1	-5.2
100	-0.4	å	-0.4	-1.8	-8.4

150	-0.3	0.3	å	-1.3	-7.6
200	0	0.9	1	å	-5.7

Winddrift in mm for a 5 m/s cross wind		
100	200	300 m
40	172	420

Winddrift in inches for a 10 m.p.h cross wind		
100	200	300 yds
1.2	5	12.1

NORMA PRECISION AB
670 40 Åmotfors
Sweden



Sweden, since 1988.

Purveyor
to the
Royal
Court
of



Together
ahead. **RUAG**