



FX *airguns*

FX Panthera MKII

Specifications

MODEL	Aluminium Chassis
CALIBER	.22 18 shot Removable high capacity, easy load
WEIGHT (KG)	2,78kg
LENGTH	Hunter: 775mm overall length
LEFT OR RIGHT	Ambi
TRIGGER	2 stage adjustable
REGULATOR	AMP MKII
OPTICS	30MOA Picatinny
MUZZLE	1/2 UNF
GRIP	FX UG1
COCKING	Reverible Smooth side lever cocking
SAFETY	Switch style
FILL PRESSURE	250 Bar
AIR CYLINDER	Carbon Fiber Bottle/Plenum over the barrel
AIR CAPACITY	300cc
CHARGING	QD Foster
PRESSURE GAUGE	One for system pressure; One for regulator pressure
SHOT CAPACITY	5,5 (.22) 80 shots with 15.8gr pellets at 880fps
ENERGY	5,5 (.22): up to 50ft/lbs - 68 joule
POWER	Full Power

FXairguns

Specifications

MODEL	Aluminium Chassis
CALIBER	.25 16 shot Removable high capacity, easy load
WEIGHT (KG)	2,85kg
LENGTH	Hunter: 855mm overall length
LEFT OR RIGHT	Ambi
TRIGGER	2 stage adjustable
REGULATOR	AMP MKII
OPTICS	30MOA Picatinny
MUZZLE	1/2 UNF
GRIP	FX UG1
COCKING	Reverible Smooth side lever cocking
SAFETY	Switch style
FILL PRESSURE	250 Bar
AIR CYLINDER	Carbon Fiber Bottle/Plenum over the barrel
AIR CAPACITY	300cc
CHARGING	QD Foster
PRESSURE GAUGE	One for system pressure; One for regulator pressure
SHOT CAPACITY	6,35 (.25) 48 shots with 25.4gr pellets at 905fps
ENERGY	6,35 (.25): up to 73ft/lbs - 100 Joule
POWER	Full Power

FXairguns

Specifications

MODEL	Aluminium Chassis
CALIBER	.30 13 shot Removable high capacity, easy load
WEIGHT (KG)	2,93kg
LENGTH	Hunter: 870mm overall length
LEFT OR RIGHT	Ambi
TRIGGER	2 stage adjustable
REGULATOR	AMP MKII
OPTICS	30MOA Picatinny
MUZZLE	1/2 UNF
GRIP	FX UG1
COCKING	Reverible Smooth side lever cocking
SAFETY	Switch style
FILL PRESSURE	250 Bar
AIR CYLINDER	Carbon Fiber Bottle/Plenum over the barrel
AIR CAPACITY	300cc
CHARGING	QD Foster
PRESSURE GAUGE	One for system pressure; One for regulator pressure
SHOT CAPACITY	7,62 (.30) 34 shots with 44.8gr pellets at 820fps
ENERGY	7,62 (.30): up to 105ft/lbs - 143 Joule
POWER	Full Power

FXairguns



FXairguns